

From: [MCCLINCY Matt](#)
To: [Kristine Koch/R10/USEPA/US@EPA](#); [Chip Humphrey/R10/USEPA/US@EPA](#); [Eric Blischke/R10/USEPA/US@EPA](#)
Cc: [ANDERSON Jim M](#)
Subject: FW: Baseline Salmonid Habitat Survey Technical Memorandum
Date: 08/16/2010 08:14 AM
Attachments: [2010-07-30_Eco_Riverbank_Cover_Letter.pdf](#)
[Appendices.pdf](#)
[Figures.pdf](#)
[Tables.pdf](#)
[TechMemo_Final.pdf](#)

All,

Thought I would pass along this document as an fyi given that this is a current topic of conversation for the in-water FS.

Matt McClincy

From: MCCLINCY Matt
Sent: Thursday, August 12, 2010 3:58 PM
To: 'Genevieve.Angle@noaa.gov'
Cc: Sheldrake.Sean@epamail.epa.gov; LARSEN Henning; GAINER Tom; PetersonLE@cdm.com; PETERSON Jenn L
Subject: FW: Baseline Salmonid Habitat Survey Technical Memorandum

Genevieve,

Attached is the Baseline Salmonid Habitat Survey for the Arkema riverbank. Based on a quick read, it looks like they also evaluated in-water habitat based on the NMFS definitions and values. I expect that the in-water evaluation would support future evaluations by EPA and Arkema for the EE/CA and potentially some bank alternatives.

It also appears that Arkema did not identify HEA scores for the bank alternatives as requested. Once you have reviewed the document, I would like to discuss the value of working these out prior to the FS.

Thanks for your assistance with this effort. Let me know if you have any questions during your review or if I can coordinate with Arkema to provide any additional information.

Matt McClincy
Oregon Department of Environmental Quality
Northwest Region
2020 SW Fourth Ave., Suite 400
Portland, Oregon 97201-4987
Phone 503-229-5538
Fax 503-229-6945

From: Todd SLATER [mailto:todd.slater@total.com]

Sent: Thursday, August 12, 2010 10:36 AM

To: MCCLINCY Matt

Cc: Erik Ipsen; dlivermore@integral-corp.com; Les Williams; Damian Preziosi; Karen TRAEGER; Steve Parkinson

Subject: Baseline Salmonid Habitat Survey Technical Memorandum

Matt,

Attached is the Baseline Salmonid Habitat Survey technical memorandum. If you have any question please contact me.

Also, I have heard back from Erik and David....next Weds afternoon works for us.

Todd

J. Todd Slater

468 Thomas Jones Way

Suite 150

Exton, PA 19341

(w) 610-594-4430

(f) 610-594-4439

(c) 610-804-0506